

Autograder Results

Results

Code

1) Ensure all required files are present (0/0)

2) Clean compile (using makefile) (5/5)

3) Replace exercises.txt with exercises1.txt (debug only) (0/0)



4) Example test run (from lab document) (15/15)

5) Test with different input for workout stats (15/15)

6) Replace exercises.txt with exercises2.txt (debug only) (0/0)



7) Test with different set of workout data (10/10)

8) Test with combination of different workout data stats (10/10)

9) Replace exercises.txt with exercises1.txt (again, for unit tests) (debug only) (0/0)



10) Compile unit test for initArray (2.5/2.5)

11) initArray function unit test (7.5/7.5)

12) Compile unit test for getWorkout (2.5/2.5)

13) getWorkout function unit test (7.5/7.5)

Lab 9 - Structs

● Graded

Student

Matthew A Kingswood

Total Points

100 / 100 pts

Autograder Score

75.0 / 75.0

Passed Tests

- 1) Ensure all required files are present (0/0)
- 2) Clean compile (using makefile) (5/5)
- 3) Replace exercises.txt with exercises1.txt (debug only) (0/0)
- 4) Example test run (from lab document) (15/15)
- 5) Test with different input for workout stats (15/15)
- 6) Replace exercises.txt with exercises2.txt (debug only) (0/0)
- 7) Test with different set of workout data (10/10)
- 8) Test with combination of different workout data stats (10/10)
- 9) Replace exercises.txt with exercises1.txt (again, for unit tests) (debug only) (0/0)
- 10) Compile unit test for initArray (2.5/2.5)
- 11) initArray function unit test (7.5/7.5)
- 12) Compile unit test for getWorkout (2.5/2.5)

13) getWorkout function unit test (7.5/7.5)

Question 2

[defs.h](#)

15 / 15 pts

Question 3

Header Comment

5 / 5 pts

3.1 [Name](#)

1 / 1 pt

3.2 [Date](#)

1 / 1 pt

3.3 [Lab Section](#)

1 / 1 pt

3.4 [Lab Number](#)

1 / 1 pt

3.5 [Program Description](#)

1 / 1 pt

Question 4

[Code Formatting](#)

5 / 5 pts

Question 5

[Absence Penalty](#)

0 / 0 pts